

SEA PRO





Sea Pro Boats

Sea Pro prides itself on building quality manufactured boats. The line-up includes Bay Boats from 17 to 24 feet and Deep-Vee Center Consoles from 19 to 32 feet, all known for their superior ride, performance, and quality. Every Sea Pro boat is built with meticulous attention to detail and craftsmanship in the company's Whitmire, South Carolina factory and outfitted with practical features and cutting-edge technology to deliver the best possible fishing and boating experience.

seapromfg.com



Center Consoles



322



292



262



245



242



222



202




250



230



210



172

Bay Boats



240



Dual Console





Specifications

Length	32' 0"
Beam	10' 4"
Fuel	207 gal.
Max HP (Recommended)	850 h.p.
Passenger Capacity	14 ppl.
Fresh Water	22 gal.
Deadrise at Transom	24.5°
Passenger Capacity	14
Dry Weight w/o Moto	8,500 lbs.
Height:	
T-Top to Waterline	96" (n/ radar)
T-Top on Trailer	140" (n/ radar)

Standard Features

- Simrad NSO 19 EVO3 w/SS175M Chirp Transducer (2)
- Simrad OP 50 Remote @ Captains Seat
- Simrad RS 40 VHF w/Mount & Antenna
- Power Steering w/Tilt Helm
- Pump Out Head w/Overboard Discharge
- Deluxe Helm Seats w/Electric Slides
- Raw Water Wash Down
- Pressurized Livewell 30 gal. (2)
- S/S Sea Chest w/Bait Sentry Pumps
- Audison Marine Audio System
- Sea Pro Connect by Boat Fix
- Lewmar Drum Windlass
- Electric Hi-Low Bow Table w/Cushion
- Port & Starboard in-Floor Fish Boxes w/Macerators
- Side Entry Door
- Rear Entry Ladder
- RGB Lighting

Optional Equipment

- Joystick Control (with Sea Station)
- LED Spotlight w/Wireless Remote
- Marine Cool Mistrs at Helm
- Phender Pro Bumper Holders
- Refrigerated Cup Holders
- Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
- Simrad Electronics Upgrades
- LED Light Bar
- Four Bank Battery Charger System
- Additional Flush Mount Rod Holders
- Mate Series Rod/Cup Holder Combo
- Gem Deluxe Outriggers
- Side Entry Door Dive Ladder
- Wireless Phone Charger and Holder
- Color Matched Console/Leaning Post Pod
- Color Matched T-Top (Top and/or Underside)
- Canvas: Mooring, Console, Leaning Post, Gull Wings
- UVX Shade (Bow and/or Stern)

Standard Features (cont.)

- Deluxe Rear Bench Seat
- Cooler 80 Liter w/Cooler Slide
- Deluxe Fiberglass Leaning Post with: Tackle Storage, Fresh Water Sink/Bait Prep
- Lumitec Razor Flood Light Bar, Spreader Lights and Flush Nav/Docking Lights
- Electric Outlets for Downriggers, Electric Reels, etc.
- Trim Tabs w/Dual Actuators
- Digital Switching
- Underwater Lights
- Helm Pad
- Under Gunnel Rod/Ruler Pad
- Helm Dry Box Organizer w/Dual USB Ports
- Bow Dry Box Organizer w/Dual USB Ports
- 1500 GPH Bilge Pumps (2)
- Rainfall Fresh Water Shower





292 DLX Offshore

Specifications

- Length 28'6"
- Beam 9'10"
- Fuel 175 gal
- Max HP 700 (Recommended)
- Livewell 25 gal.
- Fresh Water 20 gal.
- Deadrise at Transom 22.5°
- Draft 22" (Including Motors)
- Passenger Capacity 11
- Fish Box Port 127 qt. Stbd Floor 150 qt.
- Bow Storage 120 qt. (2)
- Forward Floor Storage 277 qt.
- Dry Weight (w/o Motor) 6,800 lbs.
- Height:
 - Height with T Top on the Trailer: 134"
 - Height with T Top to Waterline: 97"

Standard Features

- Fiberglass Leaning Post
- Premium Captains Chairs
- Fiberglass Hard Top (w/ Integrated Windshield)
- Simrad Touch Screen MFD 16"
- Power Steering w/Tilt Helm
- Audison Marine Audio
- Sea Pro Connect by Boat Fix
- Lewmar Drum Windlass
- Smart Battery Management System
- Raw and Fresh Water Washdown
- Side Entry Door
- Trim Tabs w/LED Indicator Switch
- Port and Starboard Fish Boxes w/Macerator Pumps

Optional Equipment

- Optional Underside Color On Fiberglass T-Top
- Upgraded Simrad Electronics
- Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
- Additional S/S Rod Holders
- Removable Table/ Bow Filler w/Cushion
- Side Entry Door Ladder
- Battery Charger
- Phender Pro Bumper Holders
- Misters Cooling System
- Mate Series Rod/Cup Holder Combo
- Wireless Phone Charger and Holder
- Helm Pad
- Under Gunnel Rod/Ruler Pad
- Mooring Cover
- Leaning Post Cover
- Console Cover
- UVX Shade (Bow and/or Stern)
- Joystick Control (with Sea Station)
- Gull Wings
- LED Light Bar

Standard Features (cont.)

- Pressurized Livewells 25 Gal (2)
- Console Dry Box w/Dual USB Outlets
- Stern Telescoping Boarding Ladder
- DLX Folding Rear Bench Seat
- Forward Seating w/Backrests
- Digital Switching
- Fiberglass Leaning Post
- Full Pump Out Head w/Overboard Discharge
- Rainfall Fresh Water Shower
- Underwater Lights
- RGBW Lights
- Compass





262 DLX/SPORT Offshore

Specifications

Length 25' 9"
Beam 9' 4"
Fuel 147 gal.
Max HP 400 (Recommended)
Livewell 30 gal.
Fresh Water 20 gal.
Deadrise at Transom 22.5°
Draft 19"
Fish Boxes Port & Starboard Floor 160 qt. Each
Bow Storage Port & Starboard 110 qt. Each
Forward Floor Storage 255 qt.
Passenger Capacity 12
Dry Weight (w/o Motor) 4,850 lbs.
Height:
 Height with T Top on the Trailer: 137.5"
 Height with T Top to Waterline: 103"

DLX Features

DLX Fiberglass Hard Top w/Integrated Windshield
Simrad Touch Screen MFD 12"
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Lewmar Pro Fish 1000 Thru-Hull Windlass
Smart Battery Management System
Raw and Fresh Water Washdown
Side Entry Door
Trim Tabs w/LED Indicator Switch
Port and Starboard Fish Boxes w/Macerator Pumps
Pressurized Livewell 30 gals.
Console Dry Box w/Dual USB Outlets
Stern Ladder
DLX Folding Rear Bench Seat
Forward Seating w/Backrests
Digital Switching
Fiberglass Leaning Post
Compass

Optional Equipment

Optional Underside Color On Fiberglass T-Top
Upgraded Simrad Electronics
Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
LED Light Bar
Underwater Lights
Joystick Control (with Sea Station)
Additional S/S Rod Holders
Ski Tow
Removable Table/ Bow Filler w/Cushion
Side Entry Door Ladder
Complete Bolsters
Battery Charger
Phender Pro Bumper Holders
Porta-Potty
Full Pump Out Head w/Overboard Discharge
Misters Cooling System
Mate Series Rod/Cup Holder Combo
Forward Seating w/Removable Backrest
Wireless Phone Charger and Holder
Helm Pad
Under Gunnel Rod/Ruler Pad
Mooring Cover
Leaning Post Cover
Console Cover
Spray Shield (Opt. Gull Wings)
UVX Shade (Bow and/or Stern)

SPORT Features

DLX Fiberglass Hard Top w/ Integrated Windshield
Simrad Touch Screen MFD 12"
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Lewmar Pro Fish 1000 Thru-Hull Windlass
Smart Battery Management System
Raw and Fresh Water Washdown
Side Entry Door
Trim Tabs w/LED Indicator Switch
Port and Starboard Fish Boxes w/Macerator Pumps
Pressurized Livewell 30 gals.
Console Dry Box w/Dual USB Outlets
Stern Ladder
Folding Rear Bench Seat
Forward Seating w/Backrests
Compass





Specifications

Length 23' 9"
Beam 8' 10"
Fuel 102 gal.
Max HP 350
Livewell 20 gal.
Fresh Water 20 gal.
Deadrise at Transom 18.5°
Draft 16"
Bow Fish Box 130 qt.
Cooler Box 40 qt. (2)
Passenger Capacity 10
Dry Weight (w/o Motor) 4,300 lbs.
Height:
 Height with T Top on the Trailer: 129"
 Height with T Top to Waterline: 98.5"

Standard Features

Fiberglass Hard Top (w/ Integrated Windshield)
Simrad Touch Screen MFD 12"
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Smart Battery Management System
Raw and Fresh Water Washdown
Digital Switching
Fiberglass Leaning Post with Premium Captains Chairs
Console Dry Box w/Dual USB Outlets
Stern Ladder

Optional Equipment

Underside Color For Fiberglass T-Top
Trim Tabs w/LED Indicators
Upgraded Simrad Electronics
Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
LED Light Bar
Underwater Lights
Additional S/S Rod Holders
Battery Charger
Helm Pad
Under Gunnel Rod/ruler pad
Phender Pro Bumper Holders
Porta-Potty Or Full Pump Out Head
Misters T-Top
Marine Cool Misters Dash
Lewmar PRO FISH 1000 Thru-Hull Windlass w/Foot
Switches
Mate Series Rod/Cup Holder Combo
Wireless Phone Charger and Holder
Mooring Cover
Leaning Post Cover
Console Cover
Outriggers - GS280 w/15' poles & rig kit
UVX Shade (Bow and/or Stern)
FinShade - Portable Shade

Standard Features (cont.)

Integrated Bench Seating w/ Reversible Backrests
Forward Seating w/Backrests
Aquarium Style Livewell w/ LED Lights
Removable Articulating Bow Table
Fresh Water Shower
Complete Bolsters
Ski Tow
Compass



242 DLX/SPORT Center Console



Specifications

Length 23' 9"
Beam 8' 10"
Fuel 102 gal.
Max HP 350
Livewell 30 gal.
Fresh Water 20 gal.
Deadrise at Transom 18.5°
Draft 16"
Bow Fish Box 130 qt.
Floor Fish Box (optional) 180 qt.
Cooler Box 90 qt.
Passenger Capacity 11
Dry Weight (w/o Motor) 4,200 lbs.
Height:
 Height with T Top on the Trailer: 134.5"
 Height with T Top to Waterline: 98.5"

DLX Features

Fiberglass Hard Top
Simrad Touch Screen MFD 12"
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Smart Battery Management System
Raw and Fresh Water Washdown
Pressurized Livewell 30 gal.
Console Dry Box w/Dual USB Outlets
Stern Ladder
Premium Stern Bench Seat
Forward Seating w/Backrests
Premium Leaning Post (higher backrest, flip-up bolsters, arm rests,tackle ctr.)
Black Acrylic Glass Bridge
Compass

Optional Equipment

Underside Color For Fiberglass T-Top
Upgraded Simrad Eletronics
Trim Tabs w/LED Indicators
Upgraded Simrad Electronics
Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
LED Light Bar (T-Top Only)
Underwater Lights
Additional S/S Rod Holders
Ski Tow
Removable Table/Bow Filler w/Cushion
Fishbox Macerator
Helm Pad
Under Gunnel Rod/Ruler Pad
Complete Bolsters
Battery Charger
Phender Pro Bumper Holders
Porta-Potty Or Full Pump Out Head (2 pairs)
Lewmar V700 Deck Mount Windlass
Lewmar Pro Fish 1000 Thru-Hull Windlass w/Foot Switches
Misters Cooling System
Mate Series Rod/Cupholder Combo
Wireless Phone Charger and Holder
Cooler 80L
Cooler Slide
Mooring Cover
Leaning Post Cover
Console Cover
Spray Shield (Opt. Gull Wings)
UVX Shade (bow and/or stern)

SPORT Features

DLX Fiberglass Hard Top w/ Integrated Windshield
Simrad Touch Screen MFD 12"
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Lewmar Pro Fish 1000 Thru-Hull Windlass
Smart Battery Management System
Raw and Fresh Water Washdown
Side Entry Door
Trim Tabs w/LED Indicator Switch
Port and Starboard Fish Boxes w/Macerator Pumps
Pressurized Livewell 30 gals.
Console Dry Box w/Dual USB Outlets
Stern Ladder
Folding Rear Bench Seat
Forward Seating w/Backrests
Compass



222 Center Console



Specifications

- Length 21' 9"
- Beam 8' 6"
- Fuel 85 gal.
- Max HP 250
- Livewell 30 gal.
- Deadrise at Transom 17.5°
- Draft 14"
- Fish Box 120 qt. (2)
- Cooler Box 90 qt.
- Passenger Capacity 9
- Dry Weight (w/o Motor) 3,559 lbs.
- Height:
 - Height with T Top on the Trailer: 129"
 - Height from Console Grab rail on Trailer: 108"
 - Height with T Top to Waterline: 96"
 - Height from Console Grab rail to Waterline: 79"

Standard Features

- Simrad Touch Screen MFD 9"
- Power Steering w/Tilt Helm
- Sea Pro Connect by Boat Fix
- Audison Marine Audio
- Smart Battery Management System
- Raw Water Washdown
- Livewell 30 gal.
- Console Dry Box w/Dual USB Outlets
- Stern Boarding Ladder
- Forward Seating w/Backrests
- Fresh Water 12 gal. (optional)
- Fish Box Floor 150 qt. (optional)
- Compass

Optional Equipment

- Fiberglass T-Top with Optional Color
- Canvas T-Top
- Bimini Top w/Boot Bag
- Premium Leaning Post
- Trim Tabs w/LED Indicators
- Simrad Electronic Upgrade
- Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
- Underwater Lights
- LED Light Bar (T-Top)
- Fresh Water Shower
- Helm Pad
- Under Gunnel Rod/Ruler Pad
- Additional S/S Rod Holders
- Ski Tow
- Removable Table/ Bow Filler w/Cushion
- Fishbox Macerator
- Windshield Enclosure
- Battery Charger
- Phender Pro Bumper Holders
- Porta-Potty
- Full Pump Out Head
- Lewmar Deck Mount Windlass
- Misters Cooling System
- Mate Series Rod/Cup Holder Combo
- Premium Stern Bench Seat
- Forward Seating w/Removable Backrest
- Wireless Phone Charger and Holder
- Cooler 50 qt. or 80 qt.
- Cooler Slide
- Mooring Cover
- Leaning Post Cover
- Console Cover
- UVX Sun Shade (bow and/or stern)





202 Center Console

Specifications

Length 19'9"
Beam 8'3"
Fuel 60 gal.
Max HP 200
Livewell (2) 16 gal.
Deadrise Transom 16°
Draft 13"
Fish Box 166 qt
Cooler Box 40 qt.
Passenger Capacity 7
Dry Weight (w/o Motor) 2,581 lbs.
Height:
Height with T Top on the Trailer: 129"
Height from Console Grab rail on Trailer: 96"
Height with T Top to Waterline: 97"
Height from Console Grab rail to Waterline: 76"

Standard Features

Simrad Touchscreen MFD 7"
Power Steering w/Tilt Helm
Sea Pro Connect by Boat Fix
Audison Marine Audio
Smart Battery Management System
Raw Water Washdown
Half Swim Platform w/Ladder
Trolling Motor Plug w/Harness
Compass

Optional Equipment

Fiberglass T-Top with Optional Color
DLX Console (Opt. Porta Potty)
Canvas T-Top
Bimini Top Boot Bag
Trim Tabs w/LED Indicators
Hydraulic Jack Plate 8"
Power Pole Shallow Water Anchor 10'
Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
Upgraded Simrad Electronics
Underwater Lights
Fresh Water Shower
LED Light Bar (T-Top)
Deluxe Tackle Center
Premium Leaning Post
Removable Bow Table w/Cushion
Additional Rod Holders
Ski Tow
Phender Pro Bumper Holders
Helm Pad
Under Gunnel Rod/Ruler Pad
Bow Cushion
Complete Bolster Package
Trolling Motor
Battery Charger (House and/or Trolling)
Misters Cooling System
Cooler 50L
Mate Series Rod/Cup Holder
UVX Sun Shade (bow & stern)
Spray Shield (Opt. Gull Wings)
Covers (Leaning Post, Console, Mooring)
Wireless Phone Charger and Holder





Specifications

Length 24' 8"
Beam 8' 9"
Fuel 70 gal.
Max HP 350
Livewell (2) 30 gal.
Deadrise at Transom 15°
Draft 15"
Fish Box 150 qt.
Passenger Capacity 10
Dry Weight (w/o Motor) 3,432 lbs.
Height:
 Height with T Top on the Trailer: 124"
 Height from Console Grab rail on Trailer: 102.5"
 Height with T Top to Waterline: 93"
 Height from Console Grab rail to Waterline: 72.5"

Standard Features

Simrad Touchscreen MFD 9"
Power Steering w/Tilt Helm
Sea Pro Connect by Boat Fix
Audison Marine Audio
Smart Battery Management System
Raw Water Washdown
Pressurized Livewells 30 Gallon (2)
Console Dry Box w/dual USB Outlets
Lockable Rod Storage
Trolling Motor Plug + Harness
Half Swim Platform w/Ladder
Compass

Optional Equipment

Fiberglass T-Top with Optional Color
Canvas T-Top
Bimini Top Boot Bag
Trim Tabs w/LED indicator
Static Jack Plate 12"
Power Poles 10'
Simrad Electronic Upgrade
Audio Upgrades (Ampifier, Sub Woofer, 6 Speakers)
Underwater Lights
Freshwater Shower
Rear Vertical Rod Storage
Additional Rod Holders
Ski Tow
Phender Pro Bumper Holders
Helm Pad
Under Gunnel Rod/Ruler Pad
Bow Cushion
Premium Leaning Post
Bow Casting Chair w/ Pedestal
Trolling Motor
House/Trolling Battery Charger
Mister Cooling System
Forward Seating
Cooler Slide
UVX Sun Shade (bow & stern)
Mate Series Rod/Cup Holder
Mooring Cover
Leaning Post & Console Cover
Windshield Enclosure
Wireless Phone Charger and Holder
Deluxe Tackle Storage





Specifications

Length 22' 8"
Beam 8' 4"
Fuel 61 gal.
Max HP 250
Livewell (2) 16 gal.
Deadrise at Transom 15°
Draft 12"
Fish Box 150 qt.
Cooler Box 40 qt.
Passenger Capacity 8
Dry Weight (w/o Motor) 2,932 lbs.
Height:
 Height with T Top on the Trailer: 123"
 Height from Console Grab rail on Trailer: 93"
 Height with T Top to Waterline: 92.5"
 Height from Console Grab rail to Waterline: 65"

Standard Features

Simrad Touchscreen MFD 7"
Power Steering w/Tilt Helm
Sea Pro Connect by Boat Fix
Audison Marine Audio
Smart Battery Management System
Raw Water Washdown
Half Swim Platform w/Ladder
Rear Vertical Rod Storage
Lockable Rod Storage
Trolling Motor Plug w/Harness
Compass

Optional Equipment

Fiberglass T-Top with Optional Color
Canvas T-Top
Bimini Top Boot Bag
Trim Tabs W/Led Indicators
Hydraulic Jack Plate 8"
Power Pole Shallow Water Anchor 10'
Simrad Electronic Upgrade
Audio Upgrade (Ampifier, Sub Woofer, 6 Speakers)
LED Light Bar (T-Top Only)
Underwater Lights
Fresh Water Shower
Plumbed Release Well
Additional Rod Holders
Ski Tow
Phender Pro Bumper Holders
Helm Pad
Under Gunnel Rod/Ruler Pad
Bow Cushion
Premium Leaning Post
Rear Bench Seat W/Backrest
Bow Casting Chair W/Pedestal
Trolling Motor
Battery Charger (House and/or Trolling)
Misters Cooling System
Forward Seating
Cooler 50L
Cooler Slide
Wireless Phone Charger and Holder
Mate Series Rod/Cup Holder
Mooring Cover
Leaning Post Cover
Spray Shield (Opt. Gull Wings)
UVX Sun Shade (bow & stern)





210 Bay Boat

Specifications


Length 20' 8"
Beam 8' 4"
Fuel 61 gal.
Max HP 200
Livewell 16 gal. (2)
Deadrise at Transom 15°
Draft 12"
Fish Box 150 qt.
Cooler Box 40 qt.
Passenger Capacity 7
Dry Weight (w/o Motor) 2,595 lbs.
Height:
Height with T Top on the Trailer: 122"
Height from Console Grab rail on Trailer: 92.5"
Height with T Top to Waterline: 91.5"
Height from Console Grab rail to Waterline: 62"

Standard Features

Simrad Touchscreen MFD 7"
Power Steering w/Tilt Helm
Sea Pro Connect by Boat Fix
Audison Marine Audio
Smart Battery Management System
Raw Water Washdown
Half Swim Platform w/Ladder
Rear Vertical Rod Storage
Lockable Rod Storage
Trolling Motor Plug w/Harness
Compass

Optional Equipment

Fiberglass T-Top with Optional Color
Canvas T-Top
Bimini Top Boot Bag
Trim Tabs W/Led Indicators
Simrad Electronic Upgrade
Hydraulic Jack Plate 8"
Power Pole Shallow Water Anchor 10'
Trolling Motor
Battery Charger (House and/or Trolling)
Audio Upgrade (Ampifier, Sub Woofer, 6 Speakers)
LED Light Bar (T-Top Only)
Underwater Lights
Fresh Water Shower
Plumbed Release Well
Additional Rod Holders
Ski Tow
Phender Pro Bumper Holders
Helm Pad
Under Gunnel Rod/Ruler Pad
Bow Cushion
Premium Leaning Post
Rear Bench Seat W/Backrest
Bow Casting Chair W/Pedestal
Misters Cooling System
Forward Seating
Cooler 50L
Cooler Slide
Wireless Phone Charger and Holder
Mate Series Rod/Cup Holder
Mooring Cover
Leaning Post Cover
Spray Shield (Opt. Gull Wings)
UVX Sun Shade (bow & stern)





172 Bay Boat

Specifications
Length 17' 2"
Beam 7' 2"
Fuel 28 gal.
Max HP 115
Livewell 12 gal. (2)
Deadrise at Transom 15°
Draft 10"
Fish Box 135 qt.
Passenger Capacity 5
Dry Weight (w/o Motor) 1,480lbs
Height:
 Height from Console Grab rail on Trailer: 77"
 Height from Console Grab rail to Waterline: 47"

Standard Features

Touchscreen MFD 5"

Sea Pro Connect By Boat Fix

Audison Marine Audio

Half Swim Platform w/ Ladder

Bench Seat Backrest

Compass

Tilt Hydraulic Steering

Optional Equipment

Trim Tabs w/ LED indicator

Power Pole Shallow Water Anchor 8'

Hydraulic Jackplate 4"

Poling Platform

Trolling Motor

Underwater Lights

Simrad Electronic Upgrade

Bimini Top w/ Boot Bag

Mooring Cover

Raw Water Wash Down

Console Cover

Mate Series Rod/Cup Holders

Helm Pad

Bow Cushion

Phender Pro Bumper Holders (2 Pair)

Additional Stainless Rod Holders

Vertical Rod Storage

Bow Casting Chair w/ Pedestal

Wireless Phone Charger and Holder





Specifications

Length 23' 9"
Beam 8' 10"
Fuel 102 gal.
Max HP 350
Livewell 30 gal.
Fresh Water 20 gal.
Deadrise at Transom 18.5°
Draft 16"
Bow Fish Box 130 qt.
Fish Box Floor (optional) 180 qt.
Cooler Box 90 qt.
Passenger Capacity 10
Dry Weight (w/o Motor) 4,300 lbs.
Height:
 Height with T Top on the Trailer: 100"
 Height from Console Grab rail on Trailer: 95"
 Height with T Top to Waterline: 128"
 Height from Console Grab rail to Waterline: 69"

DLX Features

Simrad Touch Screen MFD 12"
Premium Captains Chairs
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Smart Battery Management System
Raw and Fresh Water Washdown
Pressurized Livewell 30 gal.
Stern Ladder
Premium Stern Bench Seat
Full Bow Seating
Wireless Phone Charger and Holder
Complete Bolsters
Compass

Optional Equipment

DLX Fiberglass Hard Top (Underside and Top Color Opt.)
DLX Fiberglass Hard Top (Underside Color Opt.)
Helm Pad (Port and Starboard)
Trim Tabs W/LED Indicators
Upgraded Simrad Electronics
Audio Upgrade (Amplifier, Sub Woofer, 6 Speakers)
Underwater Lights
Additional S/S Rod Holders
Ski Tow (Standard w/Hard Top, Optional w/Bimini)
Removable Table/Bow Filler w/Cushion
Battery Charger
Phender Pro Bumper Holders
Porta-Potty Or Full Pump Out Head
Lewmar V700 Deck Mount Windlass
Lewmar PRO FISH 1000 Thru-Hull Windlass w/Foot Switches

Mate Series Rod/Cup Holder Combo

SPORT Features

Simrad Touch Screen MFD 12"
Premium Captains Chairs
Power Steering w/Tilt Helm
Audison Marine Audio
Sea Pro Connect by Boat Fix
Smart Battery Management System
Raw and Fresh Water Washdown
Pressurized Livewell 30 gal.
Stern Ladder
Folding Stern Bench Seat
Full Bow Seating
Wireless Phone Charger and Holder
Complete Bolsters
Compass




CUSTOMIZE YOUR BOAT










SEA PRO

CUSTOMIZE

- Hull Side Color
- Hull Bottom Color
- Console and FGLP Color
- Console Helm Pad Color
- Hard Top Underside Color
- Hard Top Color
- Engine Color



GELCOAT COLORS

 White	 Ice Blue	 Platinum	 Carolina Blue	 Shark Skin
 Black	 Sea Foam Green	 Sea Creature	 Fighting Lady Yellow	

POWDER COAT

 White	 Black
--	--

UPHOLSTERY COLOR

 Pure White	 Sand	 Platinum	 Cafe' Mocha
---	---	---	--



SEA PRO

seapromfg.com

